

# OneDrive & Sharepoint Integration

Version 2.0, October 2022





### Contents

Adding a Remote Site	3
Creating a SharePoint Workflow	9
OneDrive Remote Site Creation	16
OneDrive Example Workflow	18

For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906











2 McAfee SECURE



This guide is intended to assist with creating a connection and workflow to SharePoint or OneDrive. For additional general information about Workflows and Remote Sites, <u>visit our Help Centre</u>.

# Adding a Remote Site

In the "Remote Sites" menu there is the option to choose Microsoft OneDrive/SharePoint as a remote site.

Determine whether you will connect to OneDrive or Sharepoint and use the "Name" field to help describe the connection. For example, you may wish to use the name field to note the Sharepoint "Site" you are connecting to, and the specific library or folders within the site.

Add remote site	>
lame	
SharePoint - SPTest1 - Library 1	
уре	
Microsoft OneDrive / Sharepoint	\$
Quatrix Account	
SFTP	
S3	
Microsoft Azure Blob Storage	
Backblaze	
Google Cloud Storage	
Microsoft OneDrive / Sharepoint	
Box	

For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906











McAfee




After selecting Microsoft OneDrive / SharePoint as the "Type", then choose the region where your Microsoft 365 OneDrive or Sharepoint account reside.

Add remote site		>
lame		
SharePoint - SPTest1 - Library 1		
уре		
Microsoft OneDrive / Sharepoint		4
Region		
Microsoft Cloud Global		•
Microsoft Cloud Global		
Microsoft Cloud for US Government		
Microsoft Cloud Germany		
Azure and Office 365 operated by 21Viane	et in China	
	Cancel	Login with oauth

Once the fields have been populated, choose to "Login with Oauth".

This should direct you to log into a Microsoft 365 account, unless already logged in.



For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906











McAfee



Provide credentials to authenticate and gain access.

Microsoft	account name .onmicrosoft.com
← account name .onmicrosoft.com	Enter code
Enter password	<ul> <li>Enter the code displayed in the authenticator app on your mobile device</li> </ul>
Password	Code
Forgot my password	Having trouble? Sign in another way
Sign in	More information Verify

After successful linkage Quatrix will display an "Authorisation succeeded" message.

Edit remote site	×
Name	
SharePoint - SPTest1 - Library 1	
Туре	
Microsoft OneDrive / Sharepoint	¢
Region	
Microsoft Cloud Global	٥
O Authorisation succeeded	
Config type	
	¢
OneDrive Personal or Business Root Sharepoint site	
Search for a Sharepoint site	
	Cancel Save

For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906











McAfee SECURE



You should now choose whether you want to access your SharePoint or OneDrive service.

If the workflow you are planning on creating will be transferring files between a specific SharePoint site, then you can use the search capability to list the sites your Microsoft account has access to.

\$
•
•
¢
¢
÷
Search
¢

For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906











McAfee



Once the list of SharePoint sites is displayed, and you have selected the desired site, you can then choose a specific library within the SharePoint site you wish to connect to. Use the Drive Id field to do this.

Edit remote :	site	×
Name		
SharePoint - SPTe	st1 - Library 1	
Туре		
Microsoft OneDriv	e / Sharepoint	\$
Region		
Microsoft Cloud G	lobal	\$
O Authorisatio	n succeeded	
Config type		
Search for a Share	point site	\$
Search string		
*		Search
Site URL		
SPTest1	.sharepoint.com/sites/SPTest)	¢
Drive Id		
Library 1		¢
Library 2		
Library 1 Documents		
Test connection		Cancel Save

For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906











McAfee



If there are specific folders within a Sharepoint library you wish to transfer files to or from, you can configure this path when you create the "External Workflow". See an example later in this article.

After saving the configuration you can use the "Test connection" option to validate the connection.

Ext	ternal Workflows	Remote Sites	Remote Agents
+	<u>/</u> ()	Ū	
0	NAME † Test	connection	
	AWS US East 2		
	Google GCP		
	Partner SFTP Ser	ver	
0	Quatrix		
	SharePoint - SPT	est1 - Library 1	
~	SharePoint -	SPTest1 - Library	1: connection successfully

Now that you have created the "Remote Site" profiles for OneDrive or Sharepoint, you can create external Workflows to copy, move, or synchronize files between Quatrix and these repositories.

For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906











McAfee



## **Creating a SharePoint Workflow**

#### SharePoint Example Workflow

Let's say that files are being deposited in a Sharepoint folder and we want to use Quatrix to pull the files from Sharepoint onto Quatrix storage. Maybe then we will combine another workflow and re-transfer to another target. In this sense Quatrix is a central broker providing an audit trail. We also want to leave the Sharepoint folder empty after a successful transfer. So in this example we will use the MOVE action.

#### SharePoint Note - ROOT SITE

SharePoint consists of different types of sites.

There is one site that is created out of the box once you create your Office 365 account, and that site is domainname.sharepoint.com. That site is called the Root Site. Essentially it is the site with the shortest URL (without /sites suffix). Root site is a must in each tenant and was created automatically for you when your organization acquired Office 365 account.

But as we have seen when setting up the Remote Site connection, Quatrix allows you to connect to specific SharePoint sites and libraries. And to transfer files to or from specific SharePoint folders within a library, you define the path within a Workflow as shown in the following steps.

For this example we will use a connection to a Sharepoint site labeled SPTest1. Specifically we want to transfer files from a folder labeled "Payroll". In this case there are subfolders within the Payroll folder that contain files we want to transfer as well.

For more information see <u>www.maytech.net</u>

Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906














McAfee



Looking at the example SPTest1 site from the Microsoft Admin Center console, we see



On the Quatrix side, you will need to determine a folder where the files will be transferred into. If none yet created for this task, use File Explorer, and create the desired folder. In this example flow, a folder has been created and named "Payroll Inbound". This will be what we enter in the destination field as we create the workflow.

To create the actual workflow, navigate to the "External Workflows "menu in Quatrix. Click on the "Add Automation" Icon

Note - Coming up with a naming convention for your workflows is very important. This will help with general organising and sorting in the future.

Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906













For more information see <u>www.maytech.net</u>



In this example we use a previously created "Remote Site" connection to the Sharepoint SPTest1 site and specifically to Library 1.



Previously established Remote Sites are automatically listed under the select source field dropdown menu.

Add automation	×
Automation name	
Payroll - SharePoint Inbound	
Workflow	
Move files \$	
Select source	
Current account	•
SharePoint - SPTest1 - Library 1 (Site)	
AWS US East 2 (Site) SAP Agent OnP (Agent)	
Include specific files that match certain patterns	
Delete empty source folders ③	
<ul> <li>Filter by age</li> </ul>	

For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906











McAfee



Because we have a specific folder called "Payroll" that exists within Library 1 on our SharePoint site, we'll need to enter the folder name "Payroll" in the remote folder path field

SharePoint - SPTest1 - Library 1 (Site)
/pe remote folder path
 /pe remote folder path Payroll

For destination we select current account and use the browse select button to choose the appropriate folder we expect files to be transferred to.

Current account		۰
Choose fo	older	

For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906












McAfee



Minutes	0 minutes past the hour, every 12 hours) ① Hourly Daily Weekly Monthly	
Every	12 hour(s) on minute 0	
tart date		
25 Oct 202	2 🖻	
otes		
Retrieve Pa	yroll Files From SharePoint	

Once the fields are completed and you have defined the schedule when you want the workflow to run, you can run the rule manually to test if desired. Running a rule manually is an option and via the API you can also invoke a workflow.



For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906











13



Checking the destination folder on Quatrix we see the subfolders and files have been successfully pulled from the Sharepoint source.

Home / Payroll Inbound -		
	SIZE	MODIFIED ON
□ <b>5</b>		
ACH Transfers	1 item	25 Oct 2022 18:46
BACS Transfers	5 items	25 Oct 2022 18:46

In this example our intent was to leave the Sharepoint folder empty after successful transfer. The "Move" action was used to achieve this.

	Automation name		
	Payroll - SharePoint I	nbound	
	Workflow		
	Move files	¢	
1	Move files		
- 11 - 11	Sync files Copy files		

Checking the Sharepoint site we see the source folders are empty as expected.

For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906











McAfee



Library 1 $>$ Payroll $>$ ACH Transfers ${}_{\mathcal{R}}^{R}$				
$\square$ Name $\vee$	Modified $^{\smallsetminus}$	Modified By $\vee$	+ Add column $\vee$	
	Т	his folder is empty	/	

For more information about Workflows and Remote Sites, <u>visit our Help</u> <u>Centre</u>.

For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906















## **OneDrive Remote Site Creation**

To set up a OneDrive workflow in Quatrix, first create the remote site connection.

Best practice is to name the "Remote Site" so it's easily identifiable as to the connection type.

Similar to establishing a SharePoint connection, choose "Microsoft OneDrive / Sharepoint" as the type and choose the appropriate region.

Add remote site		×
Name		
OneDrive - My Enterprise		
Туре		
Microsoft OneDrive / Sharepoint		¢
Region		
Microsoft Cloud Global		¢
Microsoft Cloud Global		
Microsoft Cloud for US Government		
Microsoft Cloud Germany		
Azure and Office 365 operated by 21Vian	et in China	
	Cancel	Login with oauth

For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906











McAfee



After logging in with Oauth, you should get an authorization succeeded message if successful. Now choose OneDrive Personal or Business as the config type.

Edit remote site		$\times$
Name		
OneDrive - My Enterprise		
Туре		
Microsoft OneDrive / Sharepoint		¢
Region		
Microsoft Cloud Global		\$
Authorisation succeeded		
Config type		
		•
OneDrive Personal or Business		
Root Sharepoint site Search for a Sharepoint site		
	Cancel	Save

Save the configuration. Test and validate the connection.



For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906











McAfee



## **OneDrive Example Workflow**

Let's say that files are being deposited in a OneDrive folder that need to be automatically transferred to Quatrix. And we want to leave the OneDrive folder empty after a successful transfer. So, in this example we will use the MOVE action.

On the Quatrix side, you will need to determine a folder where the files will be transferred into. If none yet created for this task, use File Explorer, and create the desired folder.

We look at the OneDrive side of things and will be using a folder named "OD Test Folder". We see some csv files in the folder.

	OneDrive	
		+ New ► 🗍 Upload ►
Ð	My files	
$\odot$	Recent	My files
RR	Shared	
0	Recycle bin	Name Y
		OD Test Folder

For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906











McAfee



:::: OneDrive	٩_
	🕂 New 🗸 🗍 Upload 🖌 🖻 Share 🖓
🗅 My files	
🕚 Recent	My files > OD Test Folder
g <sup>R</sup> Shared	
Recycle bin	🗋 Name ~
	Activity log (1).csv
Quick access	Activity log (3).csv
SPTest1	Activity log (2).csv

The source remote folder path is entered as OD Test Folder.

Once the fields are completed you can choose to run the rule manually (best practice to test) or wait until the scheduler you defined initiates the transfer.

For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906











McAfee



Add automation	×
Automation name	
OneDrive - Pull from OD Test	
Workflow	
Move files \$	
Select source	
OneDrive - My Enterprise (Site)	¢
Type remote folder path	
OD Test Folder	
Include specific files that match certain patterns	
Delete empty source folders ①	
<ul> <li>Filter by age</li> </ul>	
Filter by size	
Select destination	
Current account	¢
Choose folder	
Select /OneDrive Test 1	

For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906











.





After running the workflow, we see a successful transfer of files into the destination folder.

Ξ	Quatrix	File Explorer
	File Explorer	
-	Share Files Contacts	
<b>B</b>	Activity Log	□ ゥ
B	Automations 🔺	Activity log (1).csv
	External Workflows Schedule Overview	<ul> <li>Activity log (2).csv</li> <li>Activity log (3).csv</li> </ul>
8. E	Administration Billing	

And we see the OneDrive folder is now empty which is what was expected.

::: OneDrive	٩	Search	
	🕂 New 🗸 🕺 Tupload 🖌 🖻 Share 🤇	🔁 Copy link  G Sync 🚽	Download 🦻 Automate 🗠
D My files			
🕚 Recent	My files > OD Test Folder		
g <sup>R</sup> Shared			
🗟 Recycle bin	🗋 Name ~	Modified ~	Modified By Y File size Y
Quick access			
SPTest1 - Library 1			
SPTest1 - Library 2			
SPTest1			*
Communication site			
sv SPTest1 - Site Assets			
More places			This folder is sweets
Create shared library			This folder is empty

For more information about Workflows and Remote Sites, <u>visit our Help</u> <u>Centre</u>.

For more information see <u>www.maytech.net</u> Or call us: International & UK +44 (0) 189 286 1222 | USA & Canada 1 800 592 1906











McAfee